



PERSONAL PROTECTIVE EQUIPMENT  
AND WORKWEAR CATALOG 2025 - 2026



# INDEX

Calle 3 de Agosto 22, Malabo,  
Equatorial Guinea  
Tel.: (+240) 333 093 204  
E-mail: sales@alduco-ts.com  
[www.alduco-ts.com](http://www.alduco-ts.com)



A blue icon containing a bottle of cleaning spray.	<b>JANITORIAL MATERIALS</b>	P. 4-5
An orange icon containing a red hard hat.	<b>HEAD PROTECTION</b>	P. 6-7
A purple icon containing a pair of safety goggles.	<b>EYE &amp; FACE PROTECTION</b>	P. 8-10
A red icon containing a pair of yellow and black ear defenders.	<b>HEARING PROTECTION</b>	P. 11
A green icon containing a blue respirator mask.	<b>RESPIRATORY PROTECTION</b>	P. 12-13
A blue icon containing a white and blue glove.	<b>HAND PROTECTION</b>	P. 14-17
A purple icon containing a tan long-sleeved shirt.	<b>CLOTHING RANGE</b>	P. 18-27
A green icon containing a teal short-sleeved shirt.	<b>WORK CLOTHING : HEALTH</b>	P. 28
A red icon containing a white chef's toque (hat).	<b>WORK CLOTHING : KITCHEN</b>	P. 29

# INDEX

	<b>WORK CLOTHING : CLEANING</b>	P. 30
	<b>FOOT PROTECTION</b>	P. 31-32
	<b>FALL PROTECTION</b>	P. 33-37
	<b>EMERGENCY KITS</b>	P. 38
	<b>CUTTERS - TORCH LIGHTS</b>	P. 39
	<b>BAGS</b>	P. 40
	<b>WET FLOOR SIGNS - HAND WIPES</b>	P. 41
	<b>PERSONAL FLOTATION DEVICES</b>	P. 42
	<b>LIFE RAFTS</b>	P. 43
	<b>TRAFFIC &amp; SITE MANAGEMENT</b>	P. 44-45
	<b>CHEMICAL, GAS &amp; SMOKE DETECTORS</b>	P. 46

# JANITORIAL MATERIALS



SPOT AND STAIN REMOVER



GLASS AND MIRROR CLEANER



MULTI-PURPOSE CLEANER



SURFACE SANITIZER



DISINFECTANT CLEANER



DEODORIZER AND ODOR NEUTRALIZER

# JANITORIAL MATERIALS



**FLOOR CLEANER**



**SANITIZING  
SPRAY MACHINE**



**FLOOR POLISH**




**AUTOMATIC  
SOAP DISPENSER**



**SPONGES AND  
SCOURING PADS**



**CELULOSE SPONGES**




**NON-WOVEN CLEANING  
CLOTH**

## » SAFETY HELMETS

### ZIRCON I

#### ADJUSTABLE

UV-resistant high density polypropylene (PP) safety helmet.  
Low density (LDPE) polyethylene harness with 8 fixing points.  
Foam sweat band. Manual adjustment : head sizes 53/63 cm.  
Orange, Blue, Yellow, Green, Red, White or Grey.




### QUARTZ II

#### ADJUSTABLE



UV-resistant high density polypropylene (PP) safety helmet.  
Zip tightening lining. Sweat band.  
Blue, White, & Yellow.




### QUARTZ IV

#### ADJUSTABLE



Ventilated and UV-resistant  
high density polypropylene (PP) safety helmet.  
Polyamide harness : 3 textile bands with 8 fixing points.  
Foam sweat band. Ratchet adjustment : head sizes 53/63 cm.  
White, Blue, Yellow, Orange, Red or Green.



### MSA V-GARD

#### FULL BRIM HAT



Virgin high-density polyethylene (HDPE)  
with UV inhibitor  
Self-adjusting crown straps ensure a comfortable fit  
ANSI/ISEA Z89.1-2014 CSA Z94.1-2014  
Type I, Class E  
Blue, White, Red, Green.



### MSA V-GARD

#### HARD HAT CAP STYLE

The Original V-Gard, most popular style worldwide,  
>120 millions sold.  
Reliable, UV stabilised HDPE helmet shell.  
For many industrial applications the ideal and  
most economic solution.  
Antistatic testing according to EN 13463-1.  
Suitable for use in ATEX.  
environments hazardous zones 1, 2, 20, 21, 22.  
Economic electrician helmet  
meeting EN 397 440 V AC and EN 50365.  
GOST certified (-50°C)  
Adjustable head band 52 - 64 cm.  
Blue or White.



## » SAFETY HELMETS

### ENDURANCE PLUS SAFETY HELMET

#### WITH CLIP ON EAR PROTECTORS

Featuring a nylon webbing harness, the soft, foam sweatband and extended peak minimise glare. Available in a four point slot, the impact absorbing ABS shell provides protection for penetration and resistant to flame in accordance with EN397. Portwest PPE

Endurance PLUS Safety Helmet PW51

ABS Shell

Resistant to flame.

EN397

Colours: Red, Yellow, Blue, White

Size: Adjustable: 52cm to 62cm



EN397



## » SAFETY HELMETS AND VISORS

### HARD HAT, VISOR AND EAR PROTECTION COMBI KIT

#### ADJUSTABLE

Helmet consisting of :

- 1) QUARTZ3 safety helmet : UV-resistant high density polypropylene (PP).  
Polyamide harness : 3 textile bands with 8 fixing points. Foam sweat band. Orange.
- 2) SUZUKA2 : ear defender
- 3) VISOR Holder : face shield Holder.
- 4) VISORG : gauze visor



EN397

EN1731

EN352-3 SNR : 27 dB

### PPE PROTECTION KIT

#### ADJUSTABLE

Brow guard-visor combination with headband ear defenders  
Durable Polycarbonate visor with 1mm thickness  
Clear visor for medium-energy impact protection  
Ear defenders clip into headgear securely  
Soft foam sweat band included  
Wheel ratchet size adjustment for easy fitting  
Replacement visor available



CE-CAT III EN 166 1 B / 3 B EN 352-1:2002 SNR 28dB



## » SAFETY GLASSES

### CLEAR VIEW SPECTACLE

EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+



Lightweight construction  
polycarbonate single lens spectacles.  
Clear lens, Smoke lens  
Ref. PW38-PW



### CONTOURED SAFETY SPECTACLE

EN166
1FT
EN170
UV 2C-1,2

EN166
1FT
EN172
UV 5-3,1



Lightweight polycarbonate  
single lens spectacles.  
Adjustable and tilting arms.  
Soft PVC nose piece.  
Clear Lens, Smoke Lens  
Ref. PW31-PW

### PAN VIEW SPECTACLE

Sleek and sporty style glasses designed for safety and comfort with a  
lightweight construction and soft touch temples. The single wrap-around  
lens offers protection from the sides and front.  
Polycarbonate clear or smoke lens.  
Anti-scratch & anti-fog coating.  
Ref. PW38-PW



### CLASSIC SAFETY EYE SCREEN

EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+

EN166
1FT
EN172
UV 5-3,1
ANSI Z87


EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+

Polycarbonate single  
lens spectacles.  
Adjustable and tilting arms.  
Clear lens : Ref. KILIMBLIN  
Smoke lens : Ref. KILIMNOFU  
Clear lens antifog treatment : Ref. KILIMBLINAB-DP



### VISITORS

EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+

Clear polycarbonate  
single lens spectacles.  
Direct side ventilation.  
Ref. LUCERNEIN100-DP



### LEVO SPECTACLE

A hybrid of safety glass and goggle with the comfort of a safety spectacle  
with the fit and seal of a goggle. The interchangeable foam seal gives  
added brow and cheek protection. The spectacle can be interchanged  
with a head adjustable strap or soft rubber temples. Excellent ventilation  
through indirect vents in the foam attachment which aids in preventing  
misting and fogging.

Polycarbonate clear or smoke lens.  
Anti-scratch & anti-fog coating.  
Ref. PW11-PW



with temples

detachable foam back

## » SAFETY GOGGLES

### CHALLENGER GOGGLE

Clear polycarbonate goggle. Indirect vents prevent access to liquid and dust particles. The anti-mist coating improves performance for wearing with dust masks and prescription eyewear. Exceptional quality lens. Anti-scratch & anti-mist coating. Ref. PW22-PW

CE EN166 1F



### DIRECT VENT GOGGLE

Designed to be worn in a tough work environment, this goggle provides protection from extreme impact (up to 268mph) with a super-soft polycarbonate frame, housing a crystal clear lens. Anti-scratch & anti-fog coating. Ref. PW20-PW

CE EN166 3B



## » WELDERS SAFETY GLASSES & GOGGLES

### GAS WELDING GOGGLE



Using oxyacetylene for gas cutting or welding, these goggles offer high performance with a shade factor 5. A soft comfort frame with flip up lens allows the goggle to be used for grinding operations. Clear polycarbonate safety lenses. Anti-scratch & anti-fog coating. Shade 5 Ref. PW60-PW

CE EN166 EN175 1T

## » SAFETY WELDER'S MASKS

### CASOUD 800C WELDING HELMET

Welding helmet made of glass fibre reinforced thermoplastic. Fitted with a 3-position adjustable head-fastner with neck-stop rack. Welding helmet and screen filter are sold separately. Slot dimensions: 105x50mm Color: Red.

CE EN166  
EN175



### MASOUD 2 WELDING HAND SHIELD

Welders Hand Shield suitable for use with all types of welding that requires shade 11 protection. It has a polypropylene handle with the visor manufactured from polypropylene reinforced with glass fibre. The welders visor is ready to use straight from the box, and comes complete with one DIN111 filter, protected by a clear polycarbonate filter (FILTER-IN).

108x51mm viewing pane.

Spare filters sold separately.

Weight: 354g.

Color: Black

CE EN166 1F EN169 EN175 F

## » LENS CLEANING TOWElettes

### PA01

Towelette Dispenser comes completely assembled and ready for use. Manufactured with sturdy corrugated cardboard featuring pull out bottom for easy dispensing and built in tab for hanging. Dispenser holds 100 - 5" x 8" individually packaged lens cleaning towelettes. Anti-Fog. 100 towelettes per box.



## » EAR DEFENDERS

### SPA3

#### ADJUSTABLE

Ear defender with polystyrene (PS) and synthetic foam cups. ABS headband, adjustable in height. Low pressure pads. Blue.



EN352-1  
SNR : 28 dB



### SEPANG2

#### ADJUSTABLE

Ear defender with ABS and synthetic foam cups. Polycarbonate headband, adjustable in height, padded and flexible. Orange.



EN352-1  
SNR : 29 dB



### YAS MARINA

#### ADJUSTABLE

Foldable ear defender with ABS cups. Pads filled with synthetic foam. Double plastic headband (POM), adjustable in height, with soft and ventilated reinforcement for a better comfort. Grey/Yellow



EN352-1  
SNR : 32 db



### CLIP-ON EAR DEFENDERS

#### ADJUSTABLE

Easy to clip-on  
Adjustable dual pin system provides multiple positioning for better fit  
Stand-off position for intermittent use.



CE-CAT III SNR 26db 260g



## » EAR PLUGS

### REUSABLE TPE EAR PLUG

This reusable ear plug is a market favourite. The low profile design makes them ideal for wearing with helmets and the pre-moulded flange gives an optimal seal in the ear.

Color: orange (Pack of 50)

Ref. EP03-PW



EN352-2  
SNR 21 dB



### REUSABLE TPE CORDED EAR PLUG



Absorbs more inner ear sounds by use of noise blocking fins. The TPE (thermo plastic elastomer) material moulds to the ear canal after a few minutes by reacting to the warmth so the product fits almost every wearer.

Color: orange (Pack of 50)

Ref. EP04-PW



EN352-2  
SNR 21 dB

### PU FOAM EAR PLUG

Using durable foam that can be moulded to the contour of the ear. Easy to insert and remove. Excellent protection.

Each pair comes in a resealable hygienic polybag.

Color: orange (Pack of 200)

Ref. EP02-PW



CE  
EN352-2 SNR 37 dB  
ANSI S3.19 32DB

### CORDED PU FOAM EAR PLUG

The comfortable fit of soft foam ear plugs with the convenience of a cord. The tapered shape allows for a comfortable and easy fit in the ear canal.

Each pair is inside a resealable hygienic polybag.

Color: orange (Pack of 200)

Ref. EP08-PW



EN352-2 SNR 37 dB  
ANSI S3.19 32DB



## » RESPIRATORY MASKS

### MERCURE

#### RUBBER RESPIRATORY MASK

Polycarbonate screen with very wide vision field.  
Inside half-mask to reduce empty space with 2 valves for air circulation to avoid mist.  
Phonic system. Non return valve.  
Five straps head harness with quick-fastening device.  
Shoulder strap to hold the mask when unused.  
Compatible with EN 148-1 Type, M8000 serie cartridges, sold separately.



### M9000 FILTERS

#### M9000 A2

Kit of 4 A2 filtering cartridges for M9200 and M9300 full face masks  
Black.

#### M9000 A2P3

Kit of 4 A2P3 filtering cartridges for M9200 and M9300 full face masks  
Black.

#### M9000 ABEK2

Kit of 4 ABEK2 filtering cartridges for M9200 and M9300 full face masks  
Black.

#### M9000 ABEK2P3

Kit of 4 ABEK2P3 filtering cartridges for M9200 and M9300 full face masks  
Black.

CE EN14387 EN148-1

#### M9000 P3

Kit of 4 P3 filtering cartridges for M9200 and M9300 full face masks  
Black.

CE EN14387 EN148-1 EN143/A1

### 3M™ 6000 SERIES

#### HALF FACEPIECE REUSABLE RESPIRATOR



- NIOSH approved for negative pressure air purifying and supplied air dual airline applications.
- Simple and lightweight reusable respirator  
Cradle head harness and easy to fasten neck strap.
- Thermoplastic Elastomer (TPE) facepiece.
- Can be used with 3M™ Cartridge 6000 Series;  
3M™ Filters 2000, 2200, 7000 or 5000 Series;  
or 3M™ Dual Airline Systems against a variety  
of gases, vapors, and particulate hazards according  
to NIOSH approvals. Sold separately.

CE

EN140

### 3M™ 6000 SERIES CARTRIDGES



#### • 3M™ Cartridge 6000 Series.

Designed to enhance field of view and comfort on the job, these gas/vapor cartridges feature a low-profile, swept-back design.

The 3M™ Gas/Vapor Cartridges are easy to install. Plus, these cartridges are compatible with 3M™ 6000 Series Half Facepieces.

## » DISPOSABLE MASKS

\*WEL (Workplace Exposure Limit)

### 3M™ 8210

PARTICULATE RESPIRATOR



NIOSH approved N95 rating  
Adjustable nose clip

Nose foam

Ultrasonically welded headbands

NIOSH approved N95 particulate respirator

Meets NIOSH 42 CFR 84 N95 requirements for a minimum 95% filtration efficiency against solid and liquid aerosols that do not contain oil.

NIOSH approval number: TC-84A-0007

Assigned Protection Factor (APF 10) per US OSHA and Canada CSA

### FFP1 VALVED DUST MIST RESPIRATOR

FOR LOW LEVELS OF FINE DUST

Ideal for applications involving dust, mists and fibres, it should be used to protect the wearer from solid, oil and water based aerosols. The exhalation valve device can reduce resistance and expel hot air.

Ref. P101-PW (Pack of 10)

EN149:2001 + A1:2009

CE



### FFP2 VALVED DUST MIST RESPIRATOR

FOR MODERATE LEVELS OF FINE DUST

Protects against fine toxic dust, fumes and water based mists. The respirator can be used in concentrations of contaminants up to 10 times the WEL\*.

With exhalation valve device.

Ref. P209-PW (Blister pack of 3)

EN149:2001 + A1:2009

CE



### FFP1 DUST MIST RESPIRATOR

FOR LOW LEVELS OF FINE DUST

Designed for applications involving dust, mists and fibres, it can be used in concentrations of contaminants up to 4 times the WEL\*.

Ref. P108-PW (Blister pack of 3)

EN149:2001 + A1:2009

CE



### FFP2 DUST MIST RESPIRATOR

FOR MODERATE LEVELs OF FINE DUST

Protects against fine toxic dust, fumes and water based mists. The respirator can be used in concentrations of contaminants up to 10 times the WEL\*.

Ref. P208-PW (Blister pack of 3)

EN149:2001 + A1:2009

CE



### FFP3 VALVED DUST MIST FUME RESPIRATOR

FOR HIGH LEVELS OF FINE DUST

Protects against a high concentration of dust, water based mist and fumes. It can be used in concentrations of contaminants up to 20 times the WEL\*.

Ref. P309-PW (Blister pack of 2)

EN149:2001 + A1:2009

CE



## » LEATHER GLOVES

### CLASSIC DRIVER GLOVE

Tan L/9 - XL/10

A tough hard-wearing glove, made from premium full grain cow leather, proving a longer lasting glove with increased puncture resistance properties.  
Ref: A270-PW

CE

EN388  
2003  
  
4.1.2.2

EN420 EN388  
ANSI/ISEA 105 - 2011  
AS/NZS 2161.2, AS/NZS 2161.3



### A210 CANADIAN RIGGER GLOVE

10

Canadian pattern gloves.  
Cowhide split leather.  
Cotton canvas back and cuff.  
Beige.

CE

 EN388  
3,1,2,2



### A530 REINFORCED WELDING GAUNTLET

M - XXXL

EN12477 Type A welding protection.  
Premium quality leather welding gauntlet.  
Reinforced palm and thumb area.  
Para-Aramid stitching throughout for extra durability.  
Superb abrasion and tear resistance.  
Ideal for welding and metal handling.  
CE certified.  
ANSI abrasion level 4.

CE

EN12477  
Type A



## » TEXTILE GLOVES

### CP 149

10

Brushed drill cotton lining  
270 g/m<sup>2</sup>. PVC dots on  
palm, thumb and index.  
Knitted wrist.  
Beige.

CE



### A110 NYLON POLKA DOT GLOVE

10

65% polyester 35% cotton  
knitted gloves.  
PVC dots on palm.  
Gauge 7.  
White.

CE

 EN388  
2,1,3,1



## » HIGH IMPACT GLOVES

### KONG GLOVES

S/M/L/XL/XXL/XXXL

Back of hand EXO-GUARD™.  
4x4 vented knuckle protection.  
Duraclad® double stitched  
palm. Neoprene cuff.  
PVC dots.  
100% machine washable.

EN420 EN388



### A721 ANTI IMPACT GRIP GLOVE

S - 3XL

Maximum impact protection  
using TPR pod technology.  
Reinforced thumb crotch and  
padded palms.  
Nitrile foam coating for excellent  
grip in wet and dry conditions.  
Double dipped coating for  
durability.  
13-gauge liner provides the best  
balance of dexterity and durability.



ANSI cut level A7



## » MECHANIC GLOVES

### A700 GENERAL UTILITY HIGH PERFORMANCE GLOVE

M - 2XL

High performance multi-purpose glove  
Reinforced stitching on the thumb for  
extra strength.  
Wrist support and protection  
Lightweight and comfortable  
Wrist strap for secure fitting  
Low linting construction for  
minimal contamination.  
CE certified  
Ref: A700-PW



### A720 HIGH PERFORMANCE GLOVE

M - 2XL

High performance multi-purpose glove.  
Reinforced panels in high wear areas for  
maximum durability.  
Additional knuckle padding for  
extra protection.  
Durable synthetic leather palm.  
Reinforced padded palms  
Wrist strap for secure fitting  
CE certified  
Ref: A720-PW



## » ELECTRICAL GLOVES

### CLASS 0 INSULATING LATEX GLOVE

M - 2XL

1000V electrician safety gloves  
Essential wear for those working  
around electricity.  
Highly dexterous design enhances  
grip precision.

EN60903:2003 and IEC60903:2014  
certified



### 400V ELECTRICAL INSULATED GLOVE

M - 2XL

The glove palm part is insulated, and  
suitable for use on electrical equipment  
up to 400V as an auxiliary security tool.  
The gloves are made of nylon fabric, which  
is wear resistant and aging resistant, and  
has a long service life.  
Wrinkles and non-slip design on the palm,  
which increases grip strength and aging  
resistant, and has a long service life.



## » PVC, NITRILE & LATEX GLOVES

### VENICLEAN 1340

6/7-7/8-8/9

Powder-free glove: chlorinated latex. Protection of the object as no risk of leaving particles. Suitable for food industry. AQL 1,5. Box of 100 disposable gloves.

CE

 EN374-2  EN374-1 



### ALPHA 905

6,5/7,5/8,5/9,5

Anti-bacterial treatment.  
Chlorinated inside: easy to put on.  
Reduced allergies risk.  
Latex. Length: 30 cm  
Thickness: 0.45 mm

CE CAT II

 EN388 1,0,1,1  EN374-3 ABK 



### V1371

Box of 100 disposable gloves. Powdered vinyl. Suitable for food processing. AQL 1,5. Natural. EN 374-2



### VE240JA

Yellow domestic latex gloves. EN 388



### VENITACTYL 1400

Box of 100 disposable blue color fine Nitrile gloves. Suitable for food industry. Waterproof & airtight. Flexibility, elasticity & tactility. No allergies risk. Protection against chemical products (occasional contact). V1400B100 Powder-free Nitrile V1400PB100 Powdered Nitrile

CE

 EN374-2  EN374-3 



### LA110

10

CE

 EN388 2,1,2,1




Dipped glove.  
Thin roughened latex coating on cotton support.  
Ventilated back.  
Yellow.

## » PVC, NITRILE & LATEX GLOVES

### PVCC400

10


Chemical PVC dipped gloves.  
PVC coating on jersey cotton support.  
Thickness : 1,3 mm.  
Length : 40 cm.  
Red.



### PVC7335

10


Dipped gloves.  
PVC coating on jersey cotton support.  
Thickness : 0,9 mm.  
Length : 35 cm.  
Red.



### PVC7327

10

Dipped gloves.  
PVC coating on jersey cotton support.  
Thickness : 0,9 mm.  
Length : 27 cm.  
Red.



### Thermal Grip Glove

#### ACRYLIC, LATEX BK YELLOW XS/6 - XXL/11

Perfect for construction, transportation, refuse collection and maintenance. This glove has a warm acrylic 10 gauge liner and is ideal for more heavy duty, outdoor tasks and working in cold conditions.  
Ref: A140-PW



EN420 EN388 EN511  
ANSI/ISEA 105 - 2011  
AS/NZS 2161.2, AS/NZS 2161.3, ASNZS 2161.5



### NITREX A810

6,5/7,5/8,5/9,5/10,5

Nitrile unsupported glove with cotton flock-lining.  
Abrasion resistance.  
Waterproof & airtight.  
Low sensibility to heat.  
No allergy risk.  
Raised pattern texture on palm & fingers: anti-slip.  
Flocked lining: to absorb perspiration & comfort.  
Silicone free: for specific users.  
Length : 33 cm.  
Thickness : 0,40 mm.  
Color: Green



### A600 CUT 3 NITRILE GRIP GLOVE

8/9/10

A seamless, 10 gauge lining made from DuPont™ Kevlar® with a Nitrile palm coating guaranteeing enhanced cut resistance and superb grip.  
Ideal for handling glass, metal or other sharp, oily objects.

EN420 EN388



## » DISPOSABLE WORKWEAR

### TYVEK® Classic Xpert Hooded Coverall

S/M/L/XL/XXL

Category III, Type 5-B and 6-B protection.  
Tyvek® fabric with antistatic treatment on both sides.  
External stitched «smart» seams.  
3 piece hood auto-lock zipper and zipper flap.  
Elasticated hood, cuffs & ankles, glued-in waist elastic.  
New ergonomic design offering enhanced fit and full freedom of movement.  
Larger zipper puller, new hood design perfectly fitting the contours of the face & sleeves that do not ride up (no need for thumb loops anymore!).  
Color: white  
300g

Tyvek® Classic Xpert  
Model CHF5



### DT11

M/L/XL/XXL



Hooded overalls.  
Non woven  
Deltatek® 5000  
(50% polypropylene -  
50% polyethylene -  
Strong chemicals  
resistance). Antistatic.  
Resealable storm flap.  
Zipper (top and bottom  
opening) under flap.  
Knitted wrist.  
Non linting. Silicon free.  
White.



### DISPOSABLE PE OVERSHOES

Multi-purpose shoe covers available in a choice of five distinct colours. The elasticated ankle strap keeps the cover securely in place and the sole is embossed for enhanced grip.  
One size fits all wearers.  
Colors: white, blue, red, green, yellow  
Ref: D440-PW



### PVC OVERSHOE 0.1mm

PVC overshoe 0.1mm thick.  
One size.  
Color: white  
Ref: D440-PW



## » HIGH VISIBILITY RANGE



### HI-VIS RAIN JACKET

Made from a durable hard-wearing lightweight polyester fabric with superb abrasion and tear resistance for tough conditions. Interior waterproof PVC coating. Water and stain repellent coating on the outside. Taped seams throughout; anti-wicking fabric at hems and cuffs, good quality zips and strong metal press fasteners. Concealed hood under collar and air vents for underarm ventilation.

Composition:  
Fabric: 100% Polyester PVC Coated 190T Plain Weave 170g.  
Lining: 100% Polyester mesh 60g.  
Sizes: S - XL  
Color: Yellow, Orange  
Ref: H440-PW



EN471 CLASS 2:1, EN343 CLASS 3:1

### HI-VIS VEST

L/XXL

Hi-Vis Vest. Class 2. Fastening with velcro band. Polyester knitted fabric. Parallel assembly band. Fluorescent orange or Fluorescent yellow. Ref: GILP2-DP



### HI-VIS COMFORT POLO SHIRT

Lightweight and breathable cotton mix fabric for extra comfort.

Composition: 75% Polyester, 25% Cotton Drop Needle.  
Sizes: M - XXL  
Color: Yellow, Orange  
Ref: S177-PW



### HI-VIS RAIN TROUSERS

Made from the same materials as the rain jacket these trousers are lightweight and practical. Elasticated waist. Twin reflective banding. Press stud adjustable ankles.

Composition:  
Fabric: 100% Polyester PVC Coated 190T Plain Weave 170g.  
Lining: 100% Polyester mesh 60g.  
Sizes: S - XL  
Color: Yellow, Orange  
Ref: H441-PW



### HI-VIS POLY-COTTON TROUSERS

Incorporates outstanding details such as multiple pockets, superior stitch quality and generous sizing. Zip front with hook & bar fastening.

Composition:  
Fabric: 65% Polyester 35% Cotton 250g.  
Sizes: M - XXL  
Color: Yellow, Orange  
Ref: E041-PW



## » RAIN CLOTHING



**EN304**

RAIN SUIT



**MA305**

RAIN SUIT

Polyester, PVC double coating. Jacket and trousers sold together.  
Jacket: Sealed seams. Fixed hood. Fastening with zip under press-studs flap. Raglan sleeves. Elasticated waist. 2 pockets.  
Trousers: Elasticated waist. Fly closed with press-studs.  
Adjustable bottom of legs with press-studs. 2 hand slits.  
Size- M / L / XL and XXL.  
Color-Yellow and Green.



Polyester, PVC double coating. Sealed seams. Fixed hood. Fastening with double press-studs flap. Raglan sleeves. Elasticated inside wrists.  
2 pockets. Length 1.20m.  
Size- M/L/XL and XXL.  
Color-Yellow or Green.



## » PROTECTIVE APRONS

## » CAPS

### VERONNO

Twill 65% cotton 245g/m<sup>2</sup>. Cap (matching with MACH range). Color: Black, Blue, Grey, Red.



**TABALPV**

ONE SIZE

Apron 100% PVC.  
Dimensions :  
120 cm x 90 cm.  
Thickness : 0.30 mm.  
White.



## » FLAME RETARDANT COVERALLS

### LAPCO FR ECONOMY COVERALLS

M - 4XL

LAPCO FR™ economy coveralls in 100% cotton fabric to keep you safe and compliant. These coveralls are the best value for your uniform dollar while meeting your need for comfort and protection. Lightweight for comfort. Two patch-style chest pockets. Two back patch pockets. Covered snaps for electric-arc protection. Brass zipper with Nomex tape. Sewn with Nomex thread. Colors: Khaki, Navy Blue, Gray



### WENAAS FIRE RETARDANT COVERALL

M - 4XL

Fabric: 99% cotton, 1% antistatic fiber, 220gsm. Genuine Flame-Retardant Fabric. Reflective tape. Two-way front zip, concealed by flap. Action back. Adjustable waist. Press stud cuffs. Zip secured chest pockets. Two side pockets with access to undergarments. Two back pockets, Ruler pocket, with pen pocket on sleeve. EN 1149-5, Anti-static. EN 61482-1-2 class 1, electric arc. Colors: Orange, Royal Blue, Red



EN ISO 11612 A1 A2 B1 C1, Flame retardant.



## » FLAME RETARDANT COVERALLS

### BULWARK DELUXE COVERALL

#### CoolTouch® 2 - 5.8 oz

##### FLAME-RESISTANT, ANTI-STATIC

HRC 1.  
NFPA 2112 Compliant.

Antistatic.  
One-piece, topstitched, lay-flat collar.

One-piece bi-swing action back.  
Two-way, concealed, Nomex® taped, brass break-away zipper,  
concealed snap at top of zipper at neck.  
Concealed snap closure on sleeve cuff.

Two, two-needle topstitched patch chest pockets with flaps  
& concealed snap closure.  
Two front swing pockets are topstitched and lined.  
Two patch hip pockets have single concealed snap closure.

One sleeve pocket sewn to left bicep with pencil stall.  
Rule pocket on right leg.  
Elastic waist inserts in back.

Protection Arc Rating ATPV 6.5 calories/cm<sup>2</sup>.

Fabric: (Approx.) 48% Modacrylic / 37% Lyocell / 15% Aramid.  
Colors: Khaki, Grey, Red, Light Blue, Navy.

Sizes: S/M/L/XL (2 leg lengths)

Flame resistant fabric 5.8 oz. (200 g/m<sup>2</sup>)

Ref: CMD4-BW



### PORTWEST SUPER LIGHT WEIGHT ANTI-STATIC COVERALL

#### 210gm, Navy & Orange XS-3XL, Red & Royal S-3XL

This coverall is perfect for the extra warm weather demands of the offshore industry. Constructed with a lighter weight highly innovative flame-retardent twill fabric for welding protection.

Two back pockets with flaps & studs closure.

Tab velcro adjustable cuffs.

Two covered back pockets.

Sleeve, kneepad & rule pockets.

Radio loops.

Colors: Navy, Orange, Royal & Red.

Fabric: BIZFLAME™ PLUS 99% cotton 1% Carbon Fibres

Weight: 210g.

Ref: FR21-PW

EN ISO 11612 A1+A2, B1, C1, Fl

EN1149-5,

EN ISO 11611 CLASS 1 A1+A2

GOST-R CERTIFIED



EN 1149 EN 11612 EN ISO 11611 GOST-R



## » COVERALLS

### COTIG

S/M/L/XL/XXL/3XL/4XL

Overalls.  
Polyester cotton 160 g/m<sup>2</sup>.  
Elasticated waist.  
Double seams.  
5 pockets.  
Orange, Navy blue  
or Royal blue.

CE



### M1COM

S/M/L/XL/XXL/3XL

Overalls. Zip fastening under bias.  
Elasticated waist at the back.  
Wrist with press studs fastening.  
Twill 65% polyester  
35% cotton 245 g/m<sup>2</sup>.  
6 pockets including 1  
ruler pocket.  
2 hand slits.  
Colors: Bugatti Blue &  
Marine Blue.



## » COVERALLS



### VESIN COVERALLS

Shirt collar. Elasticated cuffs and waist. Central zip with flap pockets. Zip on chest, Low front and leg gauges. 65% polyester 35% cotton.  
 Colors: Blue, Green & Grey.  
 Size: S/M/L/XL  
 Ref: P0P1-V



## » DUNGAREES

### VESIN DUNGAREES

65% Polyester 35% Cotton.  
 Central chest zip and  
 Lateral leg gauge.  
 Color: Blue  
 Size: S/M/L/XL  
 Ref: P-37-V

## » TWO PIECE WORKWEAR

### VESIN TWO PIECE WORKWEAR


65% Polyester 35% Cotton.  
 Jacket and Trouser.  
 Colors: Blue, Green & Grey  
 Sizes: S/M/L/XL  
 Ref: AGPM-V



ALSO AVAILABLE WITH  
 REFLECTIVE STRIPES



## » SHIRTS



### CLASSIC SHIRT

#### LONG OR SHORT SLEEVES

Chest Pocket.  
Front button placket.  
Top fused collar & cuffs.  
Fabric: 65% Polyester, 35% Cotton.  
Sizes: Neck 14" - 20"  
Colors: Blue, White  
Weight: 100g  
Ref. Short Sleeves S104-PW  
Long Sleeves S103-PW



### PORTWEST OXFORD SHIRT

#### LONG OR SHORT SLEEVES

Front button placket.  
Button down collar.  
Top fused collar, cuffs and placket.  
Fabric: 70% Cotton, 30% Polyester.  
Sizes: Neck 14" - 20"  
Colors: Sky Blue, White, Royal.  
Weight: 120g  
Ref. Short Sleeves S108-PW  
Long Sleeves S107-PW



### VESIN SHORT SLEEVE SHIRT

2 Chest Pockets with button.  
Fabric: Terylene (65% Polyester,  
35% Cotton) Poplin.  
Sizes: 38 - 54  
Colors: Various  
Ref. P-29-V



### PILOT SHIRT

#### LONG OR SHORT SLEEVES

Front button placket.  
Shoulder epaulettes.  
Top fused collar and cuffs.  
Fabric: 65% Polyester, 35% Cotton.  
Sizes: Neck 14" - 20"  
Colors: Blue, White,..  
Weight: 100g  
Ref. Short Sleeves S101-PW  
Long Sleeves S102-PW

## » SHIRTS

### UNIFORM SHIRT

#### CoolTouch® 2 - 5.8 oz

FLAME RESISTANT - ANTI-STATIC

HRC 1.  
2112 Compliant.  
Antistatic Properties.  
Gusset side seam for ease of movement.  
Banded topstitched collar.  
Two chest pockets with button flap closures and sewn in pencil stall.  
Placket front with button closure.  
Tailored sleeve placket.  
Topstitched cuff.  
Straight back yoke.  
Protection Arc Rating ATPV 6.5 calories/cm<sup>2</sup>.  
Flame resistant fabric: 48% Modacrylic / 37% Lyocell / 15% Aramid. 5.8 oz. (200 g/m<sup>2</sup>)  
Colors: Khaki, Grey, Blue  
Sizes: S/M/L/XL  
Ref: SMU4-BW



## » WORK TROUSERS

### LEEDS TROUSERS

2 side pockets.  
1 jetted hip pocket.  
Front waist pleats.  
Zip fly.  
Hook & bar fastening.  
Fabric: 65% Polyester, 35% Cotton.  
Sizes: 72 - 116cm  
Fittings: Reg, Tall  
Colors: Navy, Bottle Green, Epic Grey, Black  
Weight: 300g  
Ref. S092-PW



### MULTIPOCKET TROUSERS

Zip fastening.  
Elastic rear waist.  
Pockets:  
- 2 frontal  
- 2 leg military style  
- 1 rear  
Fabric: 100% Cotton.  
Sizes: 38 - 64  
Colors: Various  
Ref. AGM-41-V



### WORK PANT CoolTouch® 2

FLAME RESISTANT

Interlined waistband with button closure.  
Two slack style front pockets.  
Two set-in hip pockets.  
Left hip pocket with button closure.  
Flame-resistant fabric: 5.8 oz. (200 g/m<sup>2</sup>)  
Khaki: 48% Modacrylic / 37% Lyocell / 15% Aramid  
Navy: 45% Modacrylic / 35% / Lyocell / 20% Aramid  
Sizes: 28 - 50  
Colors: Khaki, Navy.  
Ref. PMW4-BW



## » T-SHIRTS

### REGULAR T-SHIRT

#### ADULT SHORT SLEEVE T-SHIRT

Tubular fabric.  
Double stitch on collar, sleeves and bottom.  
Shoulder to shoulder tape.  
Lycra rib neck.  
Fabric: 100% preshrunk cotton  
Weight: white - 155g, Color - 160g  
Colors: Various.  
Sizes: XS/S/M/L/XL/XXL/XXXL  
REF: TSRA150



BK-Black	CH-Chocolate
NY-Navy	BR-Brown
DN-Denim	SA-Sand
RB-Royal Blue	FG-Forest Green
AZ-Azurine	BG-Bottle Green
TU-Turquoise	KH-Hakki
PU-Purple	AR-Army
LV-Lavender	KG-Kelly Green
SK-Sky Blue	LM-Lime
IB-Ice Blue	LMF-Lime Fluor
WH-White	PT-Pistachio
BU-Burgundy	SY-Gold
RP-Raspberry	LY-Light Yellow
FU-Fuchsia	BC-Brick
PK-Pink	GF-Graphite
RD-Red	GM-Grey Melange
WR-Warm Red	ZC-Zinc
OR-Orange	AS-Ash Melange
TG-Tangerine	
PH-Peach	
New colors	
FUF-Fuchsia Fluor	
CR-Canary Red	
ORF-Orange Fluor	
AG-Amazonia Green	
LS-Lime Stone	
SYF-Gold Fluor	



## » POLO SHIRTS

### REGULAR POLO

#### ADULT SHORT SLEEVE POLO-SHIRT

Honey-combed fabric.  
Two buttons placket.  
1x1 rib collar and cuffs.  
Side slits.  
Fabric: preshrunk combed cotton  
Weight: 200g - 210g  
Colors: Various.  
Sizes: XS/S/M/L/XL/XXL/XXXL  
REF: PORA200



**We can print or embroider your company logo or name on to shirts, coveralls, caps, bags, etc.**



## » UNISEX SANITARY LAB COAT

### UNISEX COAT

- Collar with lapels.
- Front opening.
- Button fastening.
- Back belt-adjustment.
- Pockets:
  - 1 chest
  - 2 lower

Composition: Tergal (65% Polyester, 35% Cotton)

Sizes: 48 - 66

Color: White

Ref: BSU-100-V



## » UNISEX SANITARY CLOTHING



### UNISEX SANITARY JACKET ROUND OR V-NECK COLLAR

Short sleeves, round or v-neck, one chest pocket and two lower patch pockets, with side waist vents.

Composition: 65% Polyester (Sarga), 35% Cotton

Sizes: S - M - L - XL - XXL

Colors: White, Operating Theatre Green, Sky Blue & Burgundy

Ref: CRU-90-V (round neck)

Ref: CPU-91-V (v-neck)

### UNISEX SANITARY TROUSERS

Fly with zipper, elastic waist, two front pockets & one rear patch pocket.

Composition: 65% Polyester (Sarga), 35% Cotton

Sizes: S - M - L - XL - XXL

Colors: White, Operating Theatre Green, Sky Blue & Burgundy

Ref: PSU-92-V

## » UNISEX COOKS CLOTHING

### UNISEX JACKET

Unisex cooks jacket, short or long sleeves, neck-band collar, fastenings with buttons in both directions.

Composition:  
65% Polyester (Sarga), 35% Cotton.  
Sizes: S - M - L - XL - XXL - XXXL  
Color: White  
Ref: CC-601-V (short sleeves)  
Ref: CC-600-V (long sleeves)



### KENT CHEFS JACKET

Designed for hot environments, this short sleeve jacket will keep you feeling cool and looking good. The classic styling offers a range of high quality features including easy care fabric and a handy sleeve. Unisex fit.

Composition:  
65% Polyester (Sarga), 35% Cotton.  
Sizes: S - XL  
Color: Black  
Ref: C734-PW



### UNISEX TROUSERS

Unisex cooks trousers, two frontal angled pockets, one rear patch pocket, elastic back waistband, fly with zipper.

Composition:  
65% Polyester (Sarga), 35% Cotton.  
Sizes: 36 - 64  
Color: Blue-White (dog-tooth weave)  
Ref: PU-602-V



### DRAWSTRING TROUSERS

Comfortable lightweight trousers finished with a Texpel coating allowing liquids to roll off thereby protecting from spillages. Features include two side pockets and a fully elasticated waist with drawcord.

Composition:  
65% Polyester (Sarga), 35% Cotton.  
Sizes: S - XL  
Color: Black  
Ref: C070-PW

### CLASSIC CHEF JACKET

S - XXL

Designed for maximum kitchen comfort without compromising the cuts that complements all body shapes and sizes. Fabrics are notable to be long-lasting, durable, suitable for industrial washing, drying, and everyday use.



### CLASSIC CHEF TROUSERS

S - XXL

Full elastic waist with drawstring, two side seam pocket. Wrinkle resistant and industrial laundry friendly.

### CHEFS HEADWARE

We always stock a selection of different chefs hats and head gear. Including tall hats, caps and bandanas.



## » KITCHEN ACCESSORIES

### LARGE SQUARE APRON

Made of best quality cotton, suitable for high temperature domestic and industrial washing, this garment will stay white and clean, wash after wash. It ties to the front with an adjustable fastener.

100% Cotton, 280g  
Size: W36" X L36"  
Color: White  
Ref: DSP-604-V



### APRON WITH BIB

One-piece apron, adjustable at the neck and waist with tapes.

Composition: 65% Polyester (Sarga), 35% Cotton  
Single universal size  
Colors: White, Blue, Black  
Ref: DP-603-V



### WAITERS APRONS

We stock a selection of different aprons in various sizes and colors.



### DISPOSABLE BIB APRON

Single use polyethylene bib apron.  
Suitable for a variety of work environments.  
Composition: 100% Polyethylene  
Size: 69cm x 107cm  
Colors: White, Blue.  
Ref: D300-PW



### ROUND BOUFFANT CAP



Round mobcap.  
Non-woven  
polypropylene 14 g/m<sup>2</sup>.  
Elasticated border  
53 cm diameter.  
Box of 100.  
One size.  
White or Blue.  
Ref: P0110-DP

### MOBCAP WITH VISOR



Mobcap with visor.  
Non-woven  
polypropylene 16 g/m<sup>2</sup>.  
Box of 100.  
One size.  
White or Blue.  
Ref: P0112-DP

### ADJUSTABLE CAP



Adjustable cap.  
Top ventilated paper.  
Adjustable head size.  
Dispenser box of 100.  
White.  
Ref: PA200-DP

## » FEMALE CLEANING CLOTHING

### FEMALE V-NECK JACKET

Short sleeves, with trimmings on the collar, sleeves and pockets, side opening.

Composition: 65% Polyester (Sarga),  
35% Cotton  
Sizes: S - M - L - XL - XXL  
Colors: Stripes: White-Pink,  
White-Green & White-Blue.  
Ref: CFP-93-V



### ELASTICATED TROUSERS

Elasticated completely around the waist.  
2 frontal pockets.

Composition: 65% Polyester (Sarga),  
35% Cotton  
Sizes: 2 - 4 - 6 - 8 - 10 - 12  
Colors: Blue, Green  
Ref: PSU-99-V

### FEMALE SHIRT-COLLAR JACKET

Short sleeves, with trimmings on the collar, sleeves and pockets, side opening, central fastening with buttons.

Composition: 65% Polyester (Sarga),  
35% Cotton  
Sizes: S - M - L - XL - XXL  
Colors: Stripes: White-Pink,  
White-Green & White-Blue  
Ref: CFP-94



### TROUSERS WITH ELASTIC & ZIP

Zip opening.  
Elasticated back waist.  
2 frontal pockets.

Composition: 65% Polyester (Sarga),  
35% Cotton  
Sizes: 2 - 4 - 6 - 8 - 10 - 12  
Colors: Blue, Green  
Ref: PSU-92-V

### LADIES GOWN

Women's work coat. Button fastening.  
Long or short sleeves.  
Chest pocket & two lowers. Back belt.  
Cuffs with buttons (on long sleeves)

Composition:  
Tergal (65% Polyester, 35% Cotton)  
Sizes: 40 - 64  
Colors: White or Sky Blue  
Ref: P3ML-V (long sleeves)  
Ref: P3MC-V (short sleeves)



### VARIOUS LADIES STYLED GOWN

Short or long sleeves, one chest pocket & two lowers, frontal fastening with buttons, back with pleats & belt, with trimmings on the collar, cuffs & pockets.

Composition: 65% Polyester (Sarga), 35% Cotton  
Sizes: 40 - 64



## » HOSPITAL & KITCHEN FOOTWEAR

### BASIC OPEN CLOG

#### NON-SECURITY

Anatomical sole.  
Instep protected by foam to avoid chafing.  
Upper: Perforated leather.  
Sole: expanded thermoplastic.  
Sizes: various  
Colors: White & Blue.  
Ref: 1103-JF



### CROCS™ CLASSIC RESIN CLOG

#### VENTILATED CLOG

Comfortable and lightweight unisex clogs.  
Ventilated to drain away water & debris.  
Odor resistant.  
Slip resistant.  
Sizes: various  
Colors: White & Blue.



### TOFFELN SAFETY LITE CLOGS

#### UNISEX SAFETY CLOGS

Made from high-tech S2 breathable material.  
Strong, resistant, durable, waterproof.  
Safety steel toe-cap.  
Oil & slip resistant.  
Anti-static soles.  
Colors: white or black.



CE

EN 20345 SB

### MARSELLA SHOE

#### NON-SLIP COMFORT

Especially light & comfortable.  
Energy absorption in the heel.  
Breathable microfibre.  
Ridged outer sole.  
Securely stitched.  
Anti-static.  
Oil resistant.  
Washable.  
Sizes: 34 - 48  
Colors: Black, White



CE

Regulations: EN-ISO-20347  
Security Level SRC+O1+FO

## » SAFETY SHOES & BOOTS

### STEELITE KUMO SHOE

Buffalo Water Resistant Leather.  
200 Joule steel toe cap.  
Steel midsole.  
Dual density PU/TPU sole.  
Slip resistant & energy absorbent heel.  
Size: 38 - 47  
EN ISO 20345  
Ref. FW43-PW



### STEELITE KUMO BOOT

Buffalo Water Resistant Leather.  
Slip resistant & energy absorbent heel.  
Anti-static, petrol chemical resistance.  
Dual density PU/TPU sole.  
200 Joule steel toe cap.  
Steel midsole.  
Size: 38 - 47  
EN ISO 20345  
Ref. FW23-PW



### RED WING RIGGER BOOT

#### 11-INCH PULL-ON

Full Grain, Water-Resistant Velva Boomer Leather.  
SuperSole® Welt Construction.  
Steel Shank. Oil Resistant Mini Lug SuperSole®.  
Rating: ASTM F 2413-05, MI/75. Care: Boot Oil,  
Leather Protector.  
Size- 39 - 47  
Ref. 2231-RW



### JALLATTE RIGGER BOOT

Steel toecap, waterproof,  
anti-static, absorption of energy,  
oil and piece resistant.  
Sizes 39 - 47.  
Color - Brown  
CE EN 345  
Ref. SAS-S3-JAL



### STEELITE RIGGER BOOT

#### STEEL TOE & SCUFF CAP

Grey scuff cap protector to the toe, PU/PU outsole, midsole and anti-static protection come as standard. Rubber outsole for heat resistance of up to 300 °C.  
Sizes 39 - 46.  
Color - Brown, Tan and Black.  
EN ISO 20345  
Ref. S1P-CI-PW



## » RAIN BOOTS

### GIGNAC 2 S5 SRC

#### GREEN SAFETY BOOTS

Upper : Bi-injection PVC.  
Lining : Jersey polyester.  
Sole : PVC - Nitrile with cleats  
- Steel S5. Sizes 39 TO 47



CE  
EN ISO 20345



## » FULL BODY HARNESS

### JANUS07

One color full body harness with work positioning belt (thermoformed back support) :

- 3 attachment points (rear - chest - lateral)
- 3 adjusting buckles

Red.

CE

EN 361  
EN358



### JANUS04

M - ADJUSTABLE

Two-color full body harness with work positioning belt (thermoformed back support) :

- 3 attachment points (rear - chest - lateral)
- 5 adjusting buckles
- 1 Karabiner

Grey/Orange.

CE

EN 361  
EN358



### JANUS02

M/L - ADJUSTABLE

One color full body harness:

- 2 attachment points (rear - chest)
- 2 adjusting buckles

Red.

CE

EN 361



### JANUS03

M - ADJUSTABLE

Two-color full body harness with:

- 2 attachment points (rear - chest)
- 4 adjusting buckles
- 1 Karabiner

Grey/Orange.

CE

EN 361



## » WORK POSITIONING SYSTEMS



### JANUS08

M - ADJUSTABLE

Work positioning belt with thermoformed back support:  
 • 2 lateral attachment points  
 • 1 adjusting buckle  
 Back support lining : Terry toweling. Red/Black.



EN 358

## » LANYARDS



### ELARA05

3 strands rope : 2 thimbled loops  
 Length 2 m, Ø 12 mm.  
 White.



### ELARA06

Length 1.50 m.

### ELARA07

Length 1 m.



EN 354

## » SELF-RETRACTABLE FALL ARRESTOR EQUIPMENT

### MIMAS20



Webbing self-retractable fall arrester equipment :  
 • Lanyard 2.5 m.  
 • 1 screw lock karabiner  
 Black.



EN 360

### MIMAS07

Cable self-retractable fall arrester equipment :  
 • ABS plastic casing  
 • Steel cable  
 • 1 karabiner  
 • Length 10 m.  
 Horizontal use certified Red/Black.



### MIMAS08

• Length 15 m.



EN 360

## » ENERGY ABSORBER FALL ARRESTERS



**MIMAS18**

Energy absorber fall arrester with :  
 • 3 strands rope Ø 12 mm. Length 2 m.  
 • 1 Karabiner opening 17mm.  
 1 Steel snap hook opening 62 mm.  
 White.

CE

EN 355



**MIMAS19**

Energy absorber fall arrester with :  
 • One double 3 strands rope (Y) Ø 12 mm.  
 - Length : 2 m.  
 • 1 Karabiner opening 17mm.  
 2 Steel snap hooks opening 62 mm.  
 White.

CE

EN 355

### DOUBLE LANYARD ELASTICATED WITH SHOCK ABSORBER

Polyester Webbing, Hi-Vis Yellow

A double ended elasticated lanyard featuring a shock absorber, two scaffold hooks, a carabiner and made from elasticated polyester webbing. It is 180cm long including connectors when fully extended.  
 Ref. FP52-PW

CE  
EN 354 355 362  
CAT III



## » FALL ARRESTERS ON ANCHORAGE LINE



**MIMAS01**

Sliding fall arrester kit on anchorage line:  
 • Sliding fall arrester fixed type.  
 • Anchorage line with 3 strands rope Ø 12 mm.  
 10 m. Spliced extremity.  
 White/Black

CE  
EN 353-2:2002

**MIMAS02**

Sliding fall arrester kit on anchorage line with 3 strands rope Ø 15 mm:  
 • Sliding fall arrester opening type, automatic lock, stainless steel, non-inverting device,  
 • 1 karabiner.  
 Sold without rope.  
 White/Steel

CE  
EN 353-2

**MIMAS03**

Anchorage line for sliding fall arrester:  
 • Length 10 m.  
 • 3 strands rope Ø 15 mm. thimbled loop.  
 • 1 Karabiner  
 White.

**MIMAS04**

Length 20 m.

CE  
EN 353-2



## » FALL ARRESTER SAFETY KITS

### ELARA13

#### M - ADJUSTABLE

Ready-for-use restraint working kit:

- harness with 2 attachment points (rear - chest)
- 3 strands rope Ø 12 mm. 1.50 m.
- 2 screw lock karabiners
- 1 storage bag.



CE

EN 362 EN 361 EN 354

### ELARA15

#### M - ADJUSTABLE

Ready-for-use fall arrester kit:

- harness with 2 attachment points (rear - chest)
- sliding fall arrester on anchorage line
- anchorage line with 3 strands rope 10 m
- 1 storage case.



CE

EN 362 EN 361 EN 353-2

## » CONNECTORS

### ELARA01



Steel karabiner with screw:  
Opening 17 mm. R> 22 kN.  
Steel.

CE

EN 362

### ELARA04



Quarter-turn karabiner: Opening 17 mm.  
Automatic lock, R> 25 kN.  
Steel.

CE

EN 362

### ELARA30



Snap hook: Opening 62 mm.  
Automatic lock, R> 20 kN.  
Steel.

CE

EN 362

## » FIRST AID

### HSE COMPLIANT FIRST AID KIT

10 PERSON HSE KIT Ref: FA10-PW

20 PERSON HSE KIT Ref: FA20-PW

Wall-mountable 10 and 20 person HSE compliant first aid kit designed for medium risk workplaces such as offices, warehouses or factories. Contained in a handy robust green box with carrying handle and wall bracket. The dressings are all individually wrapped and sterile.  
93/42/EEC



CONTENTS	10 Person	20 Person
Guidance Leaflet	1	1
Washproof Plasters	20	40
Eye Pads	2	4
Triangular Bandages	4	6
Safety Pins	8	12
Medium Dressings	6	9
Large Dressings	2	3
Gloves (Pairs)	1	2
Wipes	10	10
Wall Hanging Bracket	1	1

### VEHICLE KIT

Kit supplied in a green, soft compact zip-up case suitable for packing away into small spaces.  
REF: FA21-PW



BS 8599 2



CONTENTS	FA21
First Aid Guidance Leaflet	1
Contents list	1
Trauma dressing - medium 10 x 18cm	1
Alcohol free moist cleansing wipes 11x7.5cm	5
Sterile adhesive dressings - assorted	5
Nitrile disposable gloves: EN 455 - large (pair)	1
Resuscitation face shield with valve	1
Burn dressing: water-based gel soaked 10x10cm	1
Scissors	1

## » EYE WASH KITS

### EYEWASH STATION

#### STANDARD STERILE KIT

Two 500ml bottles of emergency eyewash; a sterile solution of Sodium 0.9 w/v (Normal Saline) in a convenient covered station.  
REF: ASE000-JSP



## » PRO SAFETY CUTTER

### PRO SAFETY CUTTER

#### KN20-PW

Made from metal alloy for toughness and durability, the Pro Safety Cutter is suitable for both right and left handed users. With a top blade control slider and automatic blade retract system, this knife has been designed to ensure your safety.

Fabric: Zinc Alloy & Rubber

Color: Silver-Black



### REPLACEMENT BLADES

#### KN90-PW

Fits the KN10 & KN20 knives. This blade, constructed from carbon steel, has unparalleled sharpness and superior edge retention to ensure perfect cutting every time.

Each blade features two cutting edges.

10 blades per pack

Fabric: Carbon Steel

Color: Silver.



## TORCH LIGHTS

## » TORCH LIGHTS

### SABRELIGHT 2000

#### SUBMERSIBLE

High-impact polycarbonate lens. Include belt clip, steel ring & lanyard to attach to a pocket, belt or a hand.

Bright laser spot xenon lamp.

Submersible to 150 meters.

Batteries: 3C cell alkaline

Battery burn time: 7.5 hours

Candlepower: 12,000 CP



### STEALTHLITE 2450

#### RECHARGEABLE

Powerful & indestructable flashlight.

Lightweight & attachable to any work helmet.

Bright laser spot xenon lamp.

Battery burn time: 4 hours

3-4 hour charge time

Candlepower: 10,000 CP



### HEADSUP LITE 2640

#### HANDS-FREE

Powerful Halogen/LED combo hands-free flashlight with 3 LEDs for close-up work.

Includes straps for head & hard-hat.

Pivoting head.

Batteries: 4 AA alkaline cells (included)

Battery burn time: Main: 3 hours,

LED: 50 hours.

Candlepower: Main: 10,000 CP, LED: 6,000



### WOLFLITE HANDLAMP H-4DCA

#### INDUSTRIAL

Heavy duty, robust hand lamp with Halogen bulb for industrial use. Explosive gas, vapour and mist certified for zones 1 & 2, up to T4 temperature class.

Dust ignition protected for zones 21 and 22, for dusts with ignition temperatures over 135°C.

CE marked to ATEX Directive.

4 x D cell batteries (excluded)

Battery burn time: 20 hours,

2.4w spot beam (approx 3.5°)

Peak luminous intensity at 5m 960lux



## » BAGS

### 2 IN 1 TROLLEY BACKPACK

A convertible backpack that offers an alternative to traditional backpack carrying, with the option to carry or wheel. Lightweight yet ultra-tough.

Composition: 100% Polyester 600D Fabric  
Black with Red Contrast Panels  
Capacity 30 Litres  
L50cm x W33cm x D18cm  
Ref: B906-PW



### MULTI-POCKET TROLLEY BAG

A practical and hardwearing bag, designed to provide a variety of uses, whilst maintaining ease of transport. Telescopic handle. Robust Base Panel. Sturdy in-line wheel system.

Fabric: 100% Polyester 600D  
Lining: 100% Polyester 170T PVC Coated Fabric  
Black with Red Contrast Panels  
Capacity 100 Litres  
L60cm x W40cm x D42cm  
Ref: B907-PW



### MULTI-POCKET TRAVEL BAG

A compact design with spacious interior, the Multi-Pocket Travel Bag offers a generous packing solution combined with a high degree of versatility. Telescopic handle. Robust Base Panel. Sturdy in-line wheel system.

Fabric: 100% Polyester 600D  
Lining: 100% Polyester 170T PVC Coated Fabric  
Black with Red Contrast Panels  
Capacity 70 Litres  
L73cm x W33cm x D29cm  
Ref: B908-PW



### TRAVEL and HOLDALL BAGS

Nylon PVC Coated 520g. Navy

B903 L48 x W23 x H32  
Capacity 35 Litres

B900 L68 x W25 x H39  
Capacity 65 Litres

Ref. B903-PW  
BP00-PW



### MULTIPURPOSE RUCKSACK

Tough lightweight construction.  
Padded shoulder straps & back.  
Two main compartments.  
Padded laptop sleeve.  
Material: Polyamide.  
Dimensions: 40 x 33 x 24 cm



## » WET FLOOR SIGNS

Various types, sizes and colors.



# HAND WIPES

## » HAND WIPES

### HEAVY DUTY HAND WIPES

Heavy duty wipes to quickly and effectively remove oil, grease, grime and wet paint. The textured material is designed to remove ingrained dirt. Antibacterial action and dermatologically tested.

Melblown Textured Fabric Orange 260mm x 220mm.  
50 Wipes  
EN 12054, EN 1276  
Ref: IW30-PW



## » LIFE JACKETS & FLOTATION DEVICES

### **INFLATABLE LIFE JACKET**

Portable Flotation Device. It can be easily inflated manually ( by blowing into the tube ) or automatically (by pulling the toggle).  
EN 396



### **RE-ARMING KIT**

Automatic Life Jacket Kit. Includes 33g CO2 gas cylinder, soluble bobbin and locking clips. To be used with LJ10.  
EN 396



### **LIFE BUOY RING**

Material: Polyethylene outer skin and polyurethane foam inner core.  
Outside Material: HDPE  
Inside Material: Hard PU  
Approval: CCS/ EC  
Outer diameter: : 71cm  
Inner diameter: 44cm  
Height: 10.5cm  
Weight: 4.3KG  
Ref: LBR-100



### **SOLAS MARINE LIFE JACKET**

For sea-going ships & offshore installations.  
Light, tough and durable with strong flotation.  
Materials: EPS foam board inside a Lycra pouch. Neoprene fabric cover.  
Size: 68.5cm x 50cm  
Buoyancy: 147N  
Approved: CCS & 96/98/EC  
Model No: RSCY-A6



### **MARINE WORK LIFE JACKET**

For workers on ships, marine facilities & oil platforms.  
Will not absorb water even if cut or punctured.  
Strong & comfortable, easy to clean.  
Materials: high quality PVC.  
Size: Adjustable  
Buoyancy: 150N  
Standard: JT/T107-1991  
Approved: CCS  
Model No: RSGY-2

## » SOLAS LIFE RAFTS

### SOLAS RESCUE LIFE RAFT D SERIES

#### DAVIT-LAUNCHING LIFE RAFT

Capacity: 15, 16, 20, 25 persons  
The life-raft can be inflated and opened automatically.  
If the ship sinks very fast and the life-raft cannot be thrown-over, the raft can still be inflated and opened automatically using the Hydrostatic Release Unit.  
Approved: CCS/EC



### SOLAS LIFE RAFT A SERIES

#### THROWING TYPE

Capacity: 6, 10, 12, 15, 16, 20, 25  
Max store height: 30M  
Suitable for installing ships on international voyages.

Product Standard: It meets the requirements of Regulations for the Statutory Surveys of Ships Offshore Installations Technical Regulations for the Statutory Surveys of Sea-going Ships Engaged on International Voyages(1999) of P.R.C And SOLAS 74/96 Amendment, MSC.81(70), Life-saving appliance(LSA), HSC, 2000 Sea Fishing Bessels Safe Rules, testing of life-saving appliances.

Equipment Outfit: A Pack or B Pack (Ships engaged on Short international voyage).



## » BARRIERS / FENCING

### TITAN BARRIER

1.5 & 2M



### 6mm chain

WHITE/RED (25m pack)



### TRAFFIC CONE CHAIN HOLDER

1.5 & 2M



### FOLDING BARRIER SYSTEM

0.75M X4



## » SIGNS

### WARNING TRIANGLE BREAKDOWN & RESCUE



### ROADWORKS PORTACONE



## » CONES

### TRAFFIC CONES

VARIOUS MAKES



## » FLASHING LIGHTS



### MAXILITE LED

STATIC OR FLASHING

Dual function lamp - bright, versatile & long lasting.

Practical moulded carry handle to aid transporting and siting.

The lens surround swivels giving 360° vision.

Static or Flashing Dual function photocell operation.

Allen key for bolt assembly and mode operation.

Can be fixed to barriers or to cones using the cone/lamp bracket  
(Bracket sold separately)

Energy saving LED bulbs to enhance battery life.

EN12352 & BS3143-2

## » TAPE



### WARNING TAPE

VARIOS



### ZEBRA TAPE

RED/WHITE  
YELLOW/BLACK



## » SMOKE DETECTORS

### STAND ALONE SMOKE DETECTOR

#### PHOTOELECTRIC 10 YEAR LITHIUM BATTERY

Low-power consumption design, 10 years 3V lithium battery.  
Test and hush button function in 626 smoke detector.  
High-reliability infrared photoelectric smoke sensor.  
MCU processing, eliminate false alarm.  
SMT manufacture technology, good stability.  
Shock-proof design, suitable for vehicle use.  
Dust-proof, moth-proof, anti-light interference design.  
Low-battery warning.  
Anti-RFI (20V/m-1GHz)


HM-625PHS HM-626PHS



EN14604:2005/AC:2008

### PORTABLE CARBON MONOXIDE DETECTOR

GSI Super Quality Portable Carbon Monoxide Detector Meter With Built In Danger Alert - Highly Accurate Instant Measurements - LCD Display - For Home And Professional Use.



## » CHEMICAL & GAS DETECTORS

### CROWCON GAS-PRO PID

#### PERSONAL 5 GAS DETECTOR WITH PID TECHNOLOGY

Gas-Pro PID protects against Volatile Organic Compounds (VOC) using the Photo Ionization Detection (PID) technology. With an optional pump, Gas-Pro PID offers detection of up to 5 gases in a compact and rugged unit capable of withstanding harsh environments and everyday use.

Easy to use, one button operation.  
Ergonomically designed.  
PID correction factor.  
Water and dust resistant to IP65 and IP66.  
Bump and calibration reminders.  
+ve SafetyTM tri-color status indication.  
Unmissable alarm indication;  
vibrating, audible >95dB at 30cm (loud mode)  
and high visibility red/blue LEDs.



### BW GasAlert EXTREME

The BW GasAlert Extreme single gas instrument is both compact and affordable. It has a multi-button operation and replaceable sensors and batteries, offering increased longevity.



# WORKWEAR & PERSONAL PROTECTIVE EQUIPMENT



**FOR A PROFESSIONAL IMAGE & THE PROTECTION OF YOUR EMPLOYEES**



Calle 3 de Agosto 22, Malabo  
Tel: 333 093204 • [www.alduco-ts.com](http://www.alduco-ts.com)





Calle 3 de Agosto 22, Malabo,  
Equatorial Guinea  
Tel.: (+240) 333 093204  
E-mail: sales@alduco-ts.com

[www.alduco-ts.com](http://www.alduco-ts.com)

We are here

